

DIMENSIONS DES JOINTS ET DES CLAVETTES DE VITESSE CONSTANTE "NPS"			
NUMERO DE PIECE	NOMBRE DE CANELURES EXTERIEURES	DIAMETRE DE BLOQUAGE (mm)	NOMBRE DE CANELURES INTERIEURES
D281O01	39	52	29
D281O02	33	52	29
D281O03	22	52	29
D281O04	33	52	29
D281U01	24	40	19
D281U02	24	67	19
D281U03	24	40	19
D281U04	24	53	19
D281U05	24	44	19
D281U06	24	54	21
D281U10	24	66	22
D281U11	24	54	22
D281U13	24		19
D281U14	24		19
D281U15	26	40	31
D281U16	26	40	23
I281U01	24	48	23
I281U05	17	53	26
K281A01	26	56	22
K281A02	26	56	22

DIMENSIONS DES JOINTS ET DES CLAVETTES DE VITESSE CONSTANTE "NPS"			
NUMERO DE PIECE	NOMBRE DE CANELURES EXTERIEURES	DIAMETRE DE BLOQUAGE (mm)	NOMBRE DE CANELURES INTERIEURES
M281A02	24	52	22
M281A03	24	52	21
M281A04	26	56	21
M281A05	26	56	22
M281A06	24	52	21
M281A07	26	52	23
M281A08	26	52	25
M281A09	26	56	23
M281A10	26	56	30
M281A14	26	56	25
M281A15	26	56	25
M281A16	28	56	22
M281A17	24	52	19
M281A18	26	56	30
M281A19	28	56	23
M281A20	28	56	26
M281A21	24	52	20
M281A25	28	56	26
M281A26	26	56	30
M281A28	26	56	22
M281A29	28	56	23
M281A31	28	57	24
M281A32	28	56	30
M281A33	28	56	22

DIMENSIONS DES JOINTS ET DES CLAVETTES DE VITESSE CONSTANTE "NPS"			
NUMERO DE PIECE	NOMBRE DE CANELURES EXTERIEURES	DIAMETRE DE BLOQUAGE (mm)	NOMBRE DE CANELURES INTERIEURES
H281A01	23	49	30
H281A03	24	47	30
H281A04	26	49	32
H281A05	26	49	32
H281A06	26	49	32
H281A07	26	49	32
H281A08	26	49	23
H281A09	23	45	22
H281A10	24	45	30

DIMENSIONS DES JOINTS ET DES CLAVETTES DE VITESSE CONSTANTE "NPS"			
NUMERO DE PIECE	NOMBRE DE CANELURES EXTERIEURES	DIAMETRE DE BLOQUAGE (mm)	NOMBRE DE CANELURES INTERIEURES
H281A31	26	49	32
H281A32	26	55	32
H281A33	28	60	34
H281A34	26	55	32
H281A35	26	49	32
H281A36	28	60	32
H281A37	28	60	32
H281A38	26	49	23
H281A44	26	49	32

H281A11	26	49	32
H281A12	26	49	32
H281A13	24	45	22
H281A15	26	49	30
H281A16	28	60	32
H281A17	30	64	36
H281A18	28	60	32
H281A19	28	60	32
H281A20	26	55	30
H281A21	26	49	32
H281A22	26	49	32
H281A23	28	60	32
H281A24	26	55	32
H281A26	26	55	32
H281A28			
H281A29	28	60	32
H281A30	26	49	32

H281A45	26	49	23
H281A46	30	64	36
H281A47	28	60	32
H281A48	26	55	32
H281A49	28	60	32
H281A57	23	49	23
H281A58	24	47	30
H281A59	28	60	34
H281A60	26	55	32

DIMENSIONS DES JOINTS ET DES CLAVETTES DE VITESSE CONSTANTE "NPS"			
NUMERO DE PIECE	NOMBRE DE CANELURES EXTERIEURES	DIAMETRE DE BLOQUAGE (mm)	NOMBRE DE CANELURES INTERIEURES
M281I03	25	50	22
M281I04	25	50	23
M281I05	25	50	22
M281I10	25	50	25
M281I12	25	54	23C
M281I13	25	54	22
M281I15	25	54	23
M281I16	25	54	22
M281I17	25	54	23
M281I18	25	50	23
M281I19	25	50	23
M281I20	25	50	30
M281I21	25	54	23
M281I22	25	54	23
M281I23	25	54	22
M281I50			
M281I51			
M281I53	25	54	30
M281I58	25	54	30
M281I59			
M281I60			

DIMENSIONS DES JOINTS ET DES CLAVETTES DE VITESSE CONSTANTE "NPS"			
NUMERO DE PIECE	NOMBRE DE CANELURES EXTERIEURES	DIAMETRE DE BLOQUAGE (mm)	NOMBRE DE CANELURES INTERIEURES
S281I01	26	N/A	22
S281I02	23	44	19
S281I03	23	44	19
S281I03	23	44	19
S281I04	26	48	22
S281I05	23	44	18
S281I06	26	45	19
S281I07	23	49	19
S281I08	25	49	22
S281I09	26	45	20
S281I10	26	45	22
S281I11	25	49	21
S281I12	25	49	19
S281I13	25	49	19
S281I14	23	45	20
S281I15	23	45	20
S281I25	25	49	21
N/A	25	49	29
S281U01	30	52	22
S281U02	30	52	23
S281U03	30	58	22

S281U04	30	58	23
S281U05	30	58	25
S281U07	24	50	21
S281U08	27	56	30
S281U09	27	56	30
S281U10	24	50	22
S281U11	27	56	22
S281U12	27	56	30

DIMENSIONS DES JOINTS ET DES CLAVETTES DE VITESSE CONSTANTE "NPS"

NUMERO DE PIECE	NOMBRE DE CANELURES EXTERIEURES	DIAMETRE DE BLOQUAGE (mm)	NOMBRE DE CANELURES INTERIEURES
T281A00	30	57	24
T281A01	23	51	22
T281A02	23	51	22
T281A03	26	56	24
T281A04	26	56	23
T281A05	23	56	23
T281A06	26	56	23
T281A07	26	56	24
T281A08	23	56	21
T281A09	26	56	23
T281A10	26	56	25
T281A13	26	56	25
T281A14	26	56	25
T281A17	26	56	27
T281A19	26	56	27
T281A20	26	56	27
T281A21	26	56	24
T281A22	26	56	24
T281A23	30	55	27
T281A24	30	60	27
T281A25	30	56	27
T281A26	26	56	26
T281A27	26	56	25
T281A28	26	56	24
T281A29			
T281A30	30	57	24
T281A31	26	56	32
T281A33	26	60	27
T281A35	30	55	24

DIMENSIONS DES JOINTS ET DES CLAVETTES DE VITESSE CONSTANTE "NPS"

NUMERO DE PIECE	NOMBRE DE CANELURES EXTERIEURES	DIAMETRE DE BLOQUAGE (mm)	NOMBRE DE CANELURES INTERIEURES
N281N01	21	48	19
N281N02	21	48	22
N281N03	24	52	22
N281N04	24	56	23
N281N05	24	56	23
N281N06	27	56	23
N281N07	25	52.3	22
N281N08	27	56	25
N281N09	25	52.3	23
N281N10B	27	56	22
N281N11	24	52	23
N281N12	24	52	25
N281N14	27	56	25
N281N15	25	52.2	25
N281N16	21	48	19
N281N17	21	48	22
N281N18	21	48	19
N281N19	27	56	22
N281N20	27	56	32
N281N21	27	56	25
N281N22	27	56	25
N281N23	25	55	23
N281N24	25	55	22
N281N25	27	56	23
N281N26	27	56	32
N281N27	19	48	23
N281N28	23	48	19
N281N29	22	48	23
N281N32B	27	56	32
N281N34	27	56	32
N281N35	26	50	27
N281N36	29	50	27
N281N40	27	50	27

[illegible][illegible]

DIMENSIONS DES JOINTS ET DES CLAVETTES DE VITESSE CONSTANTE "NPS"			
NUMERO DE PIECE	NOMBRE DE CANELURES EXTERIEURES	DIAMETRE DE BLOQUAGE (mm)	NOMBRE DE CANELURES INTERIEURES

[illegible]











